

# Author Index

- Amarasinghe U.S.: Status of the fishery of Pimburet-tewa wewa, a man-made lake in Sri Lanka, 375
- Bailey-Watts A.E., Wise E.J. & Kirika A.: An exper-iment in phytoplankton ecology and applied fishery management: effects of artificial aeration on troublesome algal blooms in a small eutrophic loch, 259
- Barbour S.E. & Einarsson S.M.: Ageing and growth of charr, *Salvelinus alpinus* (L.), from three habitat types in Scotland, 63
- Beardmore J.A., see Scott A.G.
- Berger A. & Halver J.E.: Effect of dietary protein, lipid and carbohydrate content on the growth, feed efficiency and carcass composition of striped bass, *Morone saxatilis* (Walbaum), fingerlings, 345
- Bondari K. & Sheppard D.C.: Soldier fly, *Hermetia illucens* L., larvae as feed for channel catfish, *Ictalurus punctatus* (Rafinesque), and blue tilapia, *Oreochromis aureus* (Steindachner), 209
- Camacho A.S., see Fineman-Kalio A.S.
- Camargo J.A., see Tarazona J.V.
- Cameron J.D., see Gray R.W.
- Coates D.: Consideration of fish introductions into the Sepik River, Papua New Guinea, 231
- Costa-Pierce B.A., Malecha S.R. & Laws E.A.: Yield characteristics of prawns, *Macrobrachium rosenbergii* (de Man), with fish polycultures at low feeding rates, 357
- Cryer M. & Winterbotham M.D.: A field trial of the fish-catching efficiency of fluorescent nylon mono-filament used in fly angling, 197
- Degani G.: The influence of the relative proportions of dietary protein and carbohydrate on body weight gain, nitrogen retention and feed conversion of European eels, *Anguilla anguilla* L., 151
- De Pontual H. & Prouzet P.: Atlantic salmon, *Salmo salar* L., stock discrimination by scale-shape analysis, 277
- Dickson M.W.: Pilot-scale cultivation of microalgae as an ingredient for fish feeds in Zambia, 109  
The supply of vitamins in feed for intensive tilapia farming in Zambia, 221
- Dudley R.G. & Harris K.C.: The fisheries statistics system of Java, Indonesia: operational realities in a developing country, 365
- Einarsson S.M., see Barbour S.E.
- Escover E.M., Salon O.T. & Smith I.R.: The economics of tilapia fingerling production and marketing in the Philippines, 1
- Felton S.P. & Halver J.E.: Vitamin C<sub>1</sub> and C<sub>2</sub> analysis using double column reverse phase high pressure liquid chromatography, 387
- Fineman-Kalio A.S. & Camacho A.S.: The effects of supplemental feeds containing different protein:energy ratios on the growth and survival of *Oreochromis niloticus* (L.) in brackishwater ponds, 139
- Fraser P.J.: Atlantic salmon, *Salmo salar* L., feed in Scottish coastal waters, 243
- Gray R.W., Cameron J.D. & McLennan A.D.: Arti-ficial reconditioning, spawning and survival of Atlantic salmon, *Salmo salar* L., kelts in salt water and survival of their F1 progeny, 309
- Halver J.E., see Berger A.  
see also Felton S.P.
- Harris K.C., see Dudley R.G.
- Horne M.T. & Robertson D.A.: Economics of vac-cination against enteric redmouth disease of sal-monids, 131
- Hutchinson P. & Mills D.H.: Characteristics of spawn-ing-run smelt, *Osmerus eperlanus* (L.), from a Scottish river, with recommendations for their conservation and management, 249
- Kirika A., see Bailey-Watts A.E.
- Laws E.A., see Costa-Pierce B.A.
- Little D., Skladany M. & Rode R.: Small-scale hatch-eries in north-east Thailand, 15
- McLennan A.D., see Gray R.W.
- Mair G.C., see Scott A.G.
- Malecha S.R., see Costa-Pierce B.A.
- Mills D.H., see Hutchinson P.
- Muñoz M.J., see Tarazona J.V.
- Ngamsnae P., see Wee K. L.
- Núñez M.O., see Tarazona J.V.
- O'Grady K.T. & Spillett P.B.: Pond and tank feeding trials with carp, *Cyprinus carpio* L.: gross nutri-tion, conversion efficiency and cost-effective diets, 73
- Ortiz J.A., see Tarazona J.V.
- Parsons P., see Pepper V.A.
- Pawson M.G. & Purdom C.E.: Relative catchability and performance of three strains of rainbow trout, *Salmo gairdneri* Richardson, in a small fishery, 173
- Pepper V.A. & Parsons P.: An experiment on aqua-culture potential of Atlantic salmon, *Salmo salar* L., kelts in Newfoundland, Canada, 327
- Prouzet P., see de Pontual H.
- Purdom C.E., see Pawson M.G.
- Robertson D.A., see Horne M.T.
- Rode R., see Little D.

- Salon O.T., *see* Escover E.M.
- Scott A.G., Mair G.C., Skibinski D.O.F. & Beardmore J.A.: 'Blond': a useful new genetic marker in the tilapia, *Oreochromis niloticus* (L.), 159
- Sheppard D.C., *see* Bondari K.
- Skibinski D.O.F., *see* Scott A.G.
- Skladany M., *see* Little D.
- Small I.: The performance of a small catch-and-release fishery stocked with rainbow trout, *Salmo gairdneri* Richardson, and thoughts on stocking densities, 291
- Smith I.R., *see* Escover E.M.
- Spillet P.B., *see* O'Grady K.T.
- Stradmeyer L. & Thorpe J.E.: Feeding behaviour of wild Atlantic salmon, *Salmo salar* L., parr in mid-to late summer in a Scottish river, 33
- The responses of hatchery-reared Atlantic salmon, *Salmo salar* L., parr to pelleted and wild prey, 51
- Swales S.: The use of small wire-mesh traps in sampling juvenile salmonids, 187
- Tarazona J.V., Muñoz M.J., Ortiz J.A., Nuñez M.O. & Camargo J.A.: Fish mortality due to acute ammonia exposure, 167
- Thorpe J.E., *see* Stradmeyer L.
- Van Densen W.L.T.: Gillnet selectivity to pikeperch, *Stizostedion lucioperca* (L.) and perch, *Perca fluviatilis* L., caught mainly wedged, 95
- Winterbotham M.D., *see* Cryer M.
- Wee K.L. & Ngamsnae P.: Dietary protein requirement of fingerlings of the herbivorous carp tawes, *Puntius gonionotus* (Bleeker), 121
- Wise E.J., *see* Bailey-Watts A.E.
- Wong J.T.Y.: Responses to salinity in larvae of a freshwater shrimp, *Macrobrachium nipponense* (de Haan), from Hong Kong, 203

# Subject Index

- Ageing, and growth of charr, 63
- Algae: bloom management, 259
  - micro, pilot-scale cultivation, 109
- Anguilla anguilla* L., see eel European
- Ammonia exposure, fish mortality, 167
- Aquaculture potential of salmon kelts, 327
- Bass (striped), effect of diet on growth, 345
- Book reviews:
  - Big Pike*. By Barrie Rickards, 201
  - Principles and Practices of Pond Aquaculture*. Edited by James E. Lannon, R. Orveal Smitherman & George Tchobanoglous, 201
  - The Ecology of Tropical Lakes and Rivers*. By A.I. Payne, 107
  - The Economics of Fisheries Management*. By Lee G. Anderson, 107
  - The Zoogeography of North American Fishes*. Edited by Charles H. Hocutt & E. O. Wiley, 108
- Carassius auratus* (L.), see goldfish
- Carp: feeding trials, 73
  - fry production, small-scale, 15
  - protein requirement of tawes fingerlings, 121
- Catchability, rainbow trout, 173, 291
- Catch rate with fluorescent line, 187
- Catfish (channel), soldier fly larvae feed, 209
- Charr, ageing and growth, 63
- Conversion efficiency, carp feeding trials, 73
- Cyprinus carpio* L., see carp
- Diets, cost-effective, 73
- Economics: microalgae cultivation, 109
  - tilapia production and marketing, 1
  - vaccination against enteric redmouth, 131
- Eel (European), food conversion, 151
- Enteric redmouth disease, vaccination, 131
- Feeding: behaviour, Atlantic salmon parr, 33
  - carp, 73
  - channel catfish, 209
  - rates with fish polycultures, 357
  - tilapia, 209, 221
- Food: Atlantic salmon in Scottish coastal waters, 243
  - bass fingerlings, effect on, 345
  - conversion by European eel, 151
  - microalgae cultivation, 109
  - responses of salmon parr, 51
- Genetic marker in tilapia, 159
- Gillnet selectivity to perch spp., 95
- Goldfish, effects of ammonia exposure, 167
- Growth: charr feeding trials, 63
  - rainbow trout, 173
  - tilapia with supplement feeds, 139
- Hatcheries: profitability, 1
  - small-scale, 15
- Hermetia illucens* L., see soldier fly
- Ictalurus punctatus* (Rafinesque), see catfish (channel)
- Introductions, fish into tropical river, 321
- Line, fluorescent, fish-catching efficiency, 197
- Macrobrachium nipponense* (de Haan), see shrimp
- Macrobrachium rosenbergii* (de Man), see prawn
- Management, statistics system, Java, 365
- Marketing: small-scale hatchery, 15
  - tilapia fingerling, 1
- Morone saxatilis* (Walbaum), see bass (striped)
- Mortality, acute ammonia exposure, 167
- Nutrition: bass fingerlings, effect on, 345
  - carp feeding trials, 73
  - eel feed, 151
  - tilapia feed supplements, 139
- Oreochromis* spp. see tilapia
- Osmerus eperlanus* (L.), see smelt
- Otoliths, ageing charr, 63
- Pelleted food, responses of salmon parr, 51
- Perca fluviatilis* L., see perch
- Perch, gillnet selectivity, 95
- Phytoplankton, artificial aeration on bloom, 259
- Pikeperch, gillnet selectivity, 95
- Polyculture, prawn yield, 357
- Pond, charr feeding trials, 73
- Prawn, yield characteristics, 357
- Production: small scale hatcheries, 15
  - tilapia fingerling, 1
- Profitability, hatchery systems, 1
- Protein: requirement of carp fingerlings, 121
  - tilapia growth supplements, 139
- Puntius gonionotus* (Bleeker), see carp
- Redmouth disease, vaccination, 131
- Salinity, response of shrimp larvae, 203
- Salmon (Atlantic): aquaculture potential of kelts, 327
  - feeding behaviour of parr, 33
  - feed in Scottish coastal waters, 243
  - reconditioning, spawning, survival, 309
  - responses to food types, 51
  - stock discrimination, 277
- Salmonids: traps in sampling, 187
  - vaccination against enteric redmouth, 131
- Salmo gairdneri* Richardson, see trout (rainbow)
- Salmo salar* L., see salmon (Atlantic)
- Salvelinus alpinus* (L.), see charr
- Scale-shape analysis, Atlantic salmon, 277
- Sampling, salmonids with wire-mesh traps, 187
- Shrimp, freshwater, response to salinity, 203
- Smelt, spawning-run characteristics, 249
- Soldier fly, larvae as feed, 209
- Spawning, Atlantic salmon, 309
- Spawning-run characteristics of smelt, 249
- Statistics system, Java fisheries, 365

*Stizostedion lucioperca* (L.), *see* pikeperch

Stock discrimination, Atlantic salmon, 277

Stocking: densities, 291

tropical river, 321

Survival, Atlantic salmon kelts, 309

Tank, charr feeding trials, 73

Tawes, *see* carp

Tilapia: fingerling production, 1

fry production small-scale, 15

genetic marker, 159

soldier fly as feed, 209

status in man-made lake, 375

supplemental feeds, 139

vitamins in feed, 221

Traps, wire-mesh for sampling salmonids, 187

Trout (rainbow), catchability and performance, 173, 291

Vaccination, enteric redmouth, 131

Vitamin C analysis of fish tissue, 387

Vitamins, in tilapia feed, 221

Yield: characteristics of prawns in polyculture, 357

tilapia in Sri Lanka lake, 375

## Errata

Hutchinson P. & Mills D. H. Characteristics of spawning-run smelt, *Osmerus eperlanus* (L.), from a Scottish river, with recommendations for their conservation and management. *Aquaculture and Fisheries Management* 1987, **18**, 249–258.

The 'Recommendations' section on p. 257 should begin 'In 1892', while the references in lines 2 and 20 of the same section should read 'Her Majesty's Stationery Office 1892' and 'HMSO 1892' respectively. Similarly, the entry in the reference list on p. 258 should read 'Her Majesty's Stationery Office (1892)'.

Scott A. G., Mair G. C., Skibinski D. O. F. & Beardmore J. A. 'Blond': a useful new genetic marker in the tilapia, *Oreochromis niloticus* (L.) *Aquaculture and Fisheries Management* 1987, **18**, 159–165.

P. 164, Table 2: The genotype of males 195 and 092 given as 'BI/bl' should be 'BI/BI'.

